

p. 16683  
NY-703**CONFIDENTIAL**A: AIR  
(SPECIFY AIR OR SEA POUCH)DISPATCH NO. 

25X1

**SECRET**  
CLASSIFICATIONTO :  
ATTN :  
FROM :DATE 5 Feb. 54

25X1

SUBJECT: GENERAL— 

25X1

SPECIFIC— **Headsets for RS-6**REF: , Dated 22 January 1954

25X1

1. We are taking necessary action with regard to the spare parts kits for the RS-6 as requested in the reference.

2. However, forwarded herewith is a headset which overcomes the two main objections to the one included with the RS-6; i.e., plastic earpiece and only one ear piece, and yet is much more compact than the type of headset requested by  in the attachment to the reference. Would you please show the attached headset to  to determine if he would prefer it to the type he requested. If he does, we will supply the headsets from here, while the rest of the equipment will be sent from Headquarters.

25X1

25X1

25X1

**Distribution:**

: 2  
 : 3  
 : 1

25X1

25X1

25X1

**ACTION COPY****SECRET**  
CLASSIFICATION

Sanitized Copy Approved for Release 2011/09/20 : CIA-RDP78-03424A002400020002-3

CONTROL NO.		SEC. CLASS	ORIGIN	FILE NO.
DATE OF MAT		DATE REC'D	DATE COPIED	ROUTING
5 Feb 54		17 Feb	18 Feb	
SUBJECT				
<div></div>		ROUTING		
		TIME OUT		
DEFER ACTION UNTIL		ANSWERED	NO REPLY	COURIER NO.
FORM NO. 35-1		FILE AND ROUTING SLIP		
FEB. 1952		(18-40)		

14-715

Action

CC-3  
CC-6

25X1

3

Sanitized Copy Approved for Release 2011/09/20 : CIA-RDP78-03424A002400020002-3

IED

CONFIDENTIAL

SECRET

## ROUTING AND RECORD SHEET

Officer designations should be used in the "TO" column. Under each comment a line should be drawn across sheet  
 ment numbered to correspond with the number in the "TO" column. Each officer should initial (check mark insufficient)  
 ner routing. This Routing and Record Sheet should be returned to Registry.

17 FEB 1954

N 1630 25X1  
 DATE 5 Feb 54

TO	ROOM NO.	DATE		OFFICER'S INITIALS	COMMENTS
		REC'D	FWD'D		
1. OC-E		19 Feb.	24-703	<i>[Signature]</i>	<b>ACTION</b> → What kind of H.S.? 2. I haven't seen it but assume it is dual earset with individual <del>ear</del> metal ear clips (4000 ohms Z) now stocked by MSB and to be supplied as standard with RS GA 803
2. R+D		25 Feb		<i>[Signature]</i>	
C+ERB					
4. OC-E					
5. R+D					
6.					
7.					
8.					
9.					
10.					
<del>10.</del>					
11.					
12.					
13.					
14.					
15.					

SECRET

CONFIDENTIAL

UNCLASSIFIED